

PROPERTIES		
<b>Fibre</b>	<b>Coir</b>	
<b>Fibre Content</b>	100 %	
<b>Total Blanket Weight</b>	<b>600 g/m<sup>2</sup> (+/- 10%)</b>	
<b>Weight of fibres</b>	~ 300 g/m <sup>2</sup>	
<b>Functional Longevity</b>	48 months	
<b>Top + Bottom Netting Type</b>	Strong	
<b>Top + Bottom Netting Size</b>	13 x 12 mm	
<b>Top + Bottom Netting Weight</b>	42 g./m <sup>2</sup>	
<b>Three-dimensional PE-Netting Weight</b>	~ 175 g./m <sup>2</sup>	
<b>Stitching thread Type + Tensile strength</b>	HDPE Monofilament (brown), UV-stabilized, 50 cN/tex	
<b>Slope recommendation</b>	max. 55°	
STANDARDS		
<b>Tensile Strength ISO-10319</b>	2,2 kN per 20 cm	
<b>D4595 Elongation</b>	20 x 15 %	
<b>Flow rate (m/s) ASTM D6460-07</b>	6.2 m/s	
<b>Max. Permissible Shear Stress</b>	125 N/m <sup>2</sup>	
SHIPPING & ORDER INFORMATION		
<b>Part No.</b>	<b>75C105</b>	<b>75C210</b>
<b>Width</b>	1,05 m	2,10 m
<b>Length</b>	25 m	25 m
<b>Area per Roll</b>	26,25 m <sup>2</sup>	52,50 m
<b>Weight per Roll</b>	15 kg	30 kg
<b>Diameter per Roll</b>	0,5 m	0,5 m
<b>Volume per Roll</b>	0,26 m <sup>3</sup>	0,52 m <sup>3</sup>

The specifications presented herein are to the best of our knowledge true and accurate. GREENFIX cannot guarantee or warranty our products, unless agreed to in writing for specific conditions, for performance since the manner of handling; use and installation are beyond our control.

We cannot warrant our products to perform under unlimited circumstances due variables such as soil conditions, manner of installation and particularly severe weather conditions. Satisfactory results may not meet your expectations. No one can guarantee that required moisture will occur to permit growth after seed germination. We will not be liable for damages or losses, direct or indirect, of our GREENFIX Range of Products due to the above reasons.

**Latest-Update:** August 22, 2019

**Name:** Kai Tietjen

**File Name:** TYPE 75C

Copyright of these GREENFIX Document is reserved by SOILTEC GmbH. Copying or transmission of these document in whole or in part or any information contained therein is strictly prohibited without the prior authorization of SOILTEC GmbH, Germany.